PRODUCT	TYPE OF PRODUCT	Tiling
INFORMATION		
	COMPANY NAME	Forbo
	PRODUCT/COLLECTION NAME	Marmoleum composition tile (MCT)
	DESCRIPTION	Forbo has manufactured Marmoleum composition Tile the most globally used
		brand of linoleum for more than 150 years. Marmoleum is produced having low
		environmental impacts as a result of the combination of natural renewable
		materials and high recycle content.
MATERIAL FEEDSTOCK	MATERIAL CONTENT	Made from natural raw materials, including linseed oil, pine rosin and wood
		flour, Marmoleum is biodegradable and environmentally friendly. The natural
		properties of Marmoleum cause it to strengthen over its life.
		When properly maintained, Marmoleum will retain its attractive appearance for
		decades.
		In addition, Marmoleum helps create a healthier indoor environment. Naturally
		occurring anti-microbial properties inhibit the growth of many microorganisms, including allergen producing dust mites and the MRSA strains of bacteria.
	RECYCLED CONTENT %	MCT is 46.5% pre-consumer recycled material and 0% post-consumer recycled
	RECTCLED CONTENT /8	material.
	RAPIDLY RENEWABLE CONTENT	It is 23% rapidly renewable content.
	%	it is 25% rapidly renewable content.
	HARMFUL ADDITIVES	The material does not contain heavy metal additives.
		The material does not contain bio accumulative toxins [PBTs] such as PBDEs or
		other brominated flame-retardants.
		There are no added urea or phenol or other formaldehydes.
	HARMFUL EMISSIONS	The product does not emit greenhouse gasses.
	EMISSION STRENGTH OVER TIME	The product does not give off gas throughout its entire lifecycle
	TREATMENTS	NA NA
MANUFACTURING	MANUFACTURING PROCESS	There are no ozone-depleting chemicals used during the manufacturing process.
	HARMFUL EMISSIONS	The material does not give off gas ozone depleting gasses. The material does
		not contain PVC.
	LOCATION OF MANUF. PLANT	Manufactured in Sheboygan, WI
		Regional extraction/process:
		Ingredient extraction location
		Linseed oil (flax)  Canada
		Tall oil United States
		Gum rosin Indonesia Wood flour Germany
		Wood flour Germany Limestone Germany
		Pigment Germany
		Jute India, Bangladesh
		Topshield finish (water-based)  The Netherlands
	TESTS/CODES	Passes CHPS 01350 and other stringent IAQ standards.
	3 <sup>RD</sup> PARTY CERTIFICATION	MCT was awarded the Sustainable Materials Rating Technology© (SMaRT©)
		Sustainable Platinum Certification for Marmoleum and Bulletin Board products.
		The SMaRT© Consensus Sustainable Product Standards (CSPS) were developed
		by The Institute for Market Transformation to Sustainability (MTS) to evaluate
		the environmental performance of a building product over its life. CSPS is
		important in combating today's climate of green washing, as it is an
		independently done, peer-reviewed, consensus based standard that allows for
		transparent communication.
INSTALLATION	INSTALLATION PROCEDURE	Please refer to their site for installation guide:
		http://www.forbo-flooring.com/Commercial-flooring/Installation-floor-
	INCTALLATION ADVICENTO	care/Linoleum/Installation/
	INSTALLATION ADHESIVES	Please refer to installation guide above.  Pre-& Post-consumer
	UNIT COST	
		Total contribution: \$5,443-\$6,169 Contribution per ft2: \$0.54-\$0.62
	LIFE CYCLE ANALYSIS	NA
	EXTRACTION	I IVA
	END OF SERVICE LIFE	Not specified
MISC. PROPERTIES	QUALITIES/PROPERTIES OF	In addition, MCT offers the following benefits:
	PRODUCT	Occupancy ready finish (Topshield), meaning the floor does not require any
I .		1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

initial coats of finish	
(Visit www.floorcostco	·
	tation resistance, and better stain resistance
	ic efficacy including MRSA and C-difficile
· ·	operties to repel dust and dirt, making it easy to maintain
a clean and healthy env	
MISC. COMMENTS MCT also has natural and	nti-static properties to repel dust and dirt, making it
easier to maintain a cle	an and hygienic environment.
	ed Topshield finish eliminates the need for initial
maintenance and chem	icals, while providing lower cleaning costs and a better
long-term appearance	retention.
MCT requires no initial	maintenance, whereas VCT does require initial
maintenance (the true	hidden cost).
MCT features an exce	llent cost of ownership as compared to VCT.
www.floorcostcompari	son.com
MCT requires no cost	y stripping and recoating over its life.
From the indoor enviro	nment to the natural environment,
Marmoleum helps crea	te better environments.
CONTRIBUTION TO LEED POINTS Leed points — qualifies	for materials & resource credit 2, 4, 6, IEQ prerequisite
3, low emitting materia	ls 4.3, 4.1, 5, sustainable certifications; total 8-11 points
COMPANY PROFILE GREEN PHILOSOPHY The opportunity to male	e a difference:
	an evolutionary business, not revolutionary.
<u> </u>	nowever, there are occasional historical benchmarks of
	market. One of those occurred in the 1970's when, for
	Ith reasons, the market rapidly shifted from VAT (Vinyl
	Vinyl Composition Tile). This was driven by the asbestos
l ' '	T, which is the cheapest, most expensive floor covering
l '	HE base grade commercial resilient flooring used in the
	is driven by first-cost concerns, rather than cost of
	ne for the market to make a major shift again.
	d cost performance, it is time to move away from a high
	ning and maintenance, plasticized PVC-based product, to
	ady product with a third party, peer-reviewed publicly
	showing its exceptional environmental and performance
profile, MCT – Marmole	
CONTACT North American Headq	·
Forbo Flooring Systems	
<u> </u>	
8 Maplewood Drive	.1.
Humboldt Industrial Pa	K
Hazleton, PA 18202	
T: 1-800-842-7839	
570-459-0771	
F: 570-450-0258	
Email: info.na@forbo.c	
www.forboflooringNA.	
www.floorcostcompari	
	at once. If you wish, sweep or dry vacuum the floor, but
<u> </u>	ofter installation before performing any "wet" cleaning
	neavy furniture on the floor. This gives the adhesive time
	nore resistant to moisture and indentation.
	e floor or better, vacuum the floor.
	or with Marmoleum Concentrated Floor Cleaner at the
	T flood the floor. Marmoleum is made from natural raw
	lkalis or cleansers with high pH (such as Ammonia or
similar products) should	
3. Rinse the floor with a	clean mop.
4. Allow drying.	
1 - Allow drying.	· ·
T. Allow di yilig.	
	website: http://www.forboflooringna.com/Residential-