PRODUCT	TYPE OF PRODUCT	Textile Wallcovering
INFORMATION	COMPANY NAME	MDOWallandia
	COMPANY NAME	MDC Wallcovering
	PRODUCT/COLLECTION NAME DESCRIPTION	Bolta and Genon Eco-friendly with recycled content wallcovering
MATERIAL FEEDSTOCK	MATERIAL CONTENT	Recyled content with fabric backing – nonwoven, 100% spun bonded
WIATERIAL PEEDSTOCK		polyester
	RECYCLED CONTENT %	30% post consumer recycled content and an average of 10% pre- consumer content
	RAPIDLY RENEWABLE CONTENT %	n/a
	HARMFUL ADDITIVES	Non-PVC substrate. Printed with water-based inks.
		Does not contain Perfluoro Octanoic Acid (PFOA), nor will it degrade to PFOA.
		Does not contain formaldehyde.
		Cadmium- and mercury-free.
	HARMEHI EMICCIONO	Low energy manufacturing with innovative water recycling process. Low VOC content
	HARMFUL EMISSIONS EMISSION STRENGTH OVER TIME	n/a
	TREATMENTS	Protective stain resistant top coating.
	MEATWENTS	1 Totochive stain resistant top coating.
MANUFACTURING	MANUFACTURING PROCESS	RECORE technology is based on a revolutionary construction that uses
		nano-structures to create an innovative, lightweight, non-PVC substrate.
	HARMFUL EMISSIONS	Low voc content
	LOCATION OF MANUF. PLANT	Columbus, MS
	TESTS/CODES	RECORE wallcoverings meet or exceed Class A wallcovering
		requirements. They carry the NFPA 101 and IBC Class A interior wall and finish rating when tested using ASTM-E84 method on Type X gypsum
		board and when tested in accordance with NFPA 286
	3 RD PARTY CERTIFICATION	n/a
INSTALLATION	INSTALLATION PROCEDURE	All wallcoverings must be installed by an experienced commercial
		wallcovering installation professional who understands wallcovering use and installation requirements, including the requirement to test for and eliminate sources of moisture prior to the installation of wallcovering.
	INSTALLATION ADHESIVES	Use an eco-friendly adhesive if available.
	UNIT COST	See representative.
	LIFE CYCLE ANALYSIS	Superior life cycle performance with minimal maintenance. Breathable for
	EXTRACTION	longer life span. ASTM D 2486 300 cycles.
	END OF SERVICE LIFE	Commercial wallcoverings featuring RECORE are 100% post-consumer recyclable.
		Construction waste as well as post-use material can be returned for
		recycling as part of the RECORE Reclamation Program.
MISC. PROPERTIES	QUALITIES/PROPERTIES OF	Breathable, eco-friendly, recyclable, and long-life cycle.
	PRODUCT MISC. COMMENTS	Custom colors and weights available.
	CONTRIBUTION TO LEED POINTS	Category: Materials & Resources:
		MR 5.1: Regional Material:1 20% manufactured locally - for projects within
		a 500 mile radius of Columbus, MS (see right).
		MR 2.1: Construction Waste Management/
		Divert 50% from landfill.2
		MR 2.2: Construction Waste Management/ Divert 75% from landfill.3
		Category: Environmental Quality:
		EQ 4.1: Low Emitting Materials: Adhesives and Sealants.4
COMPANY PROFILE	GREEN PHILOSOPHY	MDC operates under a strict environmental policy to develop products that
		are conscious of their impact to the environment. Conserving natural
		resources and safeguarding the environment is fundamental to our
	CONTACT	corporate philosophy. MDC Wallcoverings
	CONTACT	1200 Arthur Avenue
		Elk Grove Village, IL 60007
MAINTENANCE	AFTER INSTALLATION	For best performance, stains should be blotted and removed as soon as
		possible to limit any reaction between the staining agent and wallcovering.

Ordinary dirt and smudges. A clean, damp sponge with warm water will
remove many common smudges and dirt. If the damp sponge fails to
clean dirt and smudges, follow instructions for other stains. Do not use
harsh cleaning materials, solvents, steel wool abrasive cleaners or
methods that could damage wall coverings