PRODUCT	TYPE OF PRODUCT	Office furniture	
INFORMATION	TIPE OF PRODUCT		
IIII OIIIIA II OII	COMPANY NAME	Steelcase	
	PRODUCT/COLLECTION NAME	Series 7	
	DESCRIPTION	People are built differently and work differently. Details Height-AdjusTable	
	22001 110.11	Worksurfaces transform to meet seated and standing needs of everyone	
		from 5' to 6'4".	
MATERIAL FEEDSTOCK	MATERIAL CONTENT	FSC or SFI Certified wood and veneer available, water based glue, stain,	
		topcoats and UV finishes. PVC free banding available. 100% recycled	
		particleboard, Steel, Aluminum	
	RECYCLED CONTENT %	Steel: The steel used in Details Height-AdjusTable Worksurface	
		contains between 25% and 30% recycled	
		content. That is broken down as follows: 10% post-consumer	
		waste, approximately 18% pre-consumer waste.	
		Aluminum: The aluminum used in Details Height-AdjusTable	
		Worksurfaces contains approximately 60% - 70%	
		recycled content. Post-consumer content is approximately 40% -	
		50%. Wood: The particle board substrate for Details Height-AdjusTable Worksurfaces is 100% recycled wood.	
	RAPIDLY RENEWABLE CONTENT	Worksurfaces is 100 % recycled wood.	
	%		
	HARMFUL ADDITIVES	Very little – assuming materials are carefully selected. (i.e. Choose PVC	
	HARIMI OL ADDITIVEO	free banding)	
	HARMFUL EMISSIONS	Low	
	EMISSION STRENGTH OVER TIME	Weak	
	TREATMENTS	Water based stain, topcoats and UV finishes are used	
MANUFACTURING	MANUFACTURING PROCESS	Water from the finishing process is cleaned and reused in continuous	
		loop.	
		A Charles a command ordered forms a committee a community of a com	
		A Steelcase owned wind farm supplies energy to a small Texas facility.	
	HARMFUL EMISSIONS	Steelcase goes to great lengths to reduce energy consumption and waste.	
	HARMFUL EMISSIONS	Steelcase goes to great lengths to reduce energy consumption and waste. Two facilities are ISO 14001 certified and one in Michigan is LEED	
		Steelcase goes to great lengths to reduce energy consumption and waste. Two facilities are ISO 14001 certified and one in Michigan is LEED certified under the pilot program.	
	HARMFUL EMISSIONS LOCATION OF MANUF. PLANT	Steelcase goes to great lengths to reduce energy consumption and waste. Two facilities are ISO 14001 certified and one in Michigan is LEED certified under the pilot program. Many locations, the largest are in: Toronto, ON; Grand Rapids, MI;	
	LOCATION OF MANUF. PLANT	Steelcase goes to great lengths to reduce energy consumption and waste. Two facilities are ISO 14001 certified and one in Michigan is LEED certified under the pilot program. Many locations, the largest are in: Toronto, ON; Grand Rapids, MI; Athens, AL	
		Steelcase goes to great lengths to reduce energy consumption and waste. Two facilities are ISO 14001 certified and one in Michigan is LEED certified under the pilot program. Many locations, the largest are in: Toronto, ON; Grand Rapids, MI; Athens, AL ANSI / BIFMA X 5.5 – 2008 Desk /Table Products Tests	
	LOCATION OF MANUF. PLANT	Steelcase goes to great lengths to reduce energy consumption and waste. Two facilities are ISO 14001 certified and one in Michigan is LEED certified under the pilot program. Many locations, the largest are in: Toronto, ON; Grand Rapids, MI; Athens, AL ANSI / BIFMA X 5.5 – 2008 Desk /Table Products Tests ANSI / BIFMA X5.9-2004 Storage Products Tests	
	LOCATION OF MANUF. PLANT	Steelcase goes to great lengths to reduce energy consumption and waste. Two facilities are ISO 14001 certified and one in Michigan is LEED certified under the pilot program. Many locations, the largest are in: Toronto, ON; Grand Rapids, MI; Athens, AL ANSI / BIFMA X 5.5 – 2008 Desk /Table Products Tests ANSI / BIFMA X5.9-2004 Storage Products Tests UL 723 Surface Burning Characteristics of Building Materials (ASTM E84	
	LOCATION OF MANUF. PLANT	Steelcase goes to great lengths to reduce energy consumption and waste. Two facilities are ISO 14001 certified and one in Michigan is LEED certified under the pilot program. Many locations, the largest are in: Toronto, ON; Grand Rapids, MI; Athens, AL ANSI / BIFMA X 5.5 – 2008 Desk /Table Products Tests ANSI / BIFMA X5.9-2004 Storage Products Tests	
	LOCATION OF MANUF. PLANT	Steelcase goes to great lengths to reduce energy consumption and waste. Two facilities are ISO 14001 certified and one in Michigan is LEED certified under the pilot program. Many locations, the largest are in: Toronto, ON; Grand Rapids, MI; Athens, AL ANSI / BIFMA X 5.5 – 2008 Desk /Table Products Tests ANSI / BIFMA X5.9-2004 Storage Products Tests UL 723 Surface Burning Characteristics of Building Materials (ASTM E84 or NFPA 255 test method) UL 1286 Standard for Safety of Office Furnishings	
	LOCATION OF MANUF. PLANT	Steelcase goes to great lengths to reduce energy consumption and waste. Two facilities are ISO 14001 certified and one in Michigan is LEED certified under the pilot program. Many locations, the largest are in: Toronto, ON; Grand Rapids, MI; Athens, AL ANSI / BIFMA X 5.5 – 2008 Desk /Table Products Tests ANSI / BIFMA X5.9-2004 Storage Products Tests UL 723 Surface Burning Characteristics of Building Materials (ASTM E84 or NFPA 255 test method) UL 1286 Standard for Safety of Office Furnishings Flame Spread Index (FSI) less than 200 Smoke Developed Index (SDI) less than 450 (unless labeled "Smoke	
	LOCATION OF MANUF. PLANT TESTS/CODES	Steelcase goes to great lengths to reduce energy consumption and waste. Two facilities are ISO 14001 certified and one in Michigan is LEED certified under the pilot program. Many locations, the largest are in: Toronto, ON; Grand Rapids, MI; Athens, AL ANSI / BIFMA X 5.5 – 2008 Desk /Table Products Tests ANSI / BIFMA X5.9-2004 Storage Products Tests UL 723 Surface Burning Characteristics of Building Materials (ASTM E84 or NFPA 255 test method) UL 1286 Standard for Safety of Office Furnishings Flame Spread Index (FSI) less than 200 Smoke Developed Index (SDI) less than 450 (unless labeled "Smoke Developed Index Over 450")	
	LOCATION OF MANUF. PLANT	Steelcase goes to great lengths to reduce energy consumption and waste. Two facilities are ISO 14001 certified and one in Michigan is LEED certified under the pilot program. Many locations, the largest are in: Toronto, ON; Grand Rapids, MI; Athens, AL ANSI / BIFMA X 5.5 – 2008 Desk /Table Products Tests ANSI / BIFMA X5.9-2004 Storage Products Tests UL 723 Surface Burning Characteristics of Building Materials (ASTM E84 or NFPA 255 test method) UL 1286 Standard for Safety of Office Furnishings Flame Spread Index (FSI) less than 200 Smoke Developed Index (SDI) less than 450 (unless labeled "Smoke Developed Index Over 450") C2C (varies by specific element), BIFMA (a non-profit institutional	
	LOCATION OF MANUF. PLANT TESTS/CODES 3RD PARTY CERTIFICATION	Steelcase goes to great lengths to reduce energy consumption and waste. Two facilities are ISO 14001 certified and one in Michigan is LEED certified under the pilot program. Many locations, the largest are in: Toronto, ON; Grand Rapids, MI; Athens, AL ANSI / BIFMA X 5.5 – 2008 Desk /Table Products Tests ANSI / BIFMA X5.9-2004 Storage Products Tests UL 723 Surface Burning Characteristics of Building Materials (ASTM E84 or NFPA 255 test method) UL 1286 Standard for Safety of Office Furnishings Flame Spread Index (FSI) less than 200 Smoke Developed Index (SDI) less than 450 (unless labeled "Smoke Developed Index Over 450") C2C (varies by specific element), BIFMA (a non-profit institutional furniture association)	
INSTALLATION	LOCATION OF MANUF. PLANT TESTS/CODES 3RD PARTY CERTIFICATION INSTALLATION PROCEDURE	Steelcase goes to great lengths to reduce energy consumption and waste. Two facilities are ISO 14001 certified and one in Michigan is LEED certified under the pilot program. Many locations, the largest are in: Toronto, ON; Grand Rapids, MI; Athens, AL ANSI / BIFMA X 5.5 – 2008 Desk /Table Products Tests ANSI / BIFMA X5.9-2004 Storage Products Tests UL 723 Surface Burning Characteristics of Building Materials (ASTM E84 or NFPA 255 test method) UL 1286 Standard for Safety of Office Furnishings Flame Spread Index (FSI) less than 200 Smoke Developed Index (SDI) less than 450 (unless labeled "Smoke Developed Index Over 450") C2C (varies by specific element), BIFMA (a non-profit institutional furniture association) Install via mechanical means as instructed	
INSTALLATION	LOCATION OF MANUF. PLANT TESTS/CODES 3RD PARTY CERTIFICATION INSTALLATION PROCEDURE INSTALLATION ADHESIVES	Steelcase goes to great lengths to reduce energy consumption and waste. Two facilities are ISO 14001 certified and one in Michigan is LEED certified under the pilot program. Many locations, the largest are in: Toronto, ON; Grand Rapids, MI; Athens, AL ANSI / BIFMA X 5.5 – 2008 Desk /Table Products Tests ANSI / BIFMA X5.9-2004 Storage Products Tests UL 723 Surface Burning Characteristics of Building Materials (ASTM E84 or NFPA 255 test method) UL 1286 Standard for Safety of Office Furnishings Flame Spread Index (FSI) less than 200 Smoke Developed Index (SDI) less than 450 (unless labeled "Smoke Developed Index Over 450") C2C (varies by specific element), BIFMA (a non-profit institutional furniture association) Install via mechanical means as instructed	
INSTALLATION	LOCATION OF MANUF. PLANT TESTS/CODES 3RD PARTY CERTIFICATION INSTALLATION PROCEDURE INSTALLATION ADHESIVES UNIT COST	Steelcase goes to great lengths to reduce energy consumption and waste. Two facilities are ISO 14001 certified and one in Michigan is LEED certified under the pilot program. Many locations, the largest are in: Toronto, ON; Grand Rapids, MI; Athens, AL ANSI / BIFMA X 5.5 – 2008 Desk /Table Products Tests ANSI / BIFMA X5.9-2004 Storage Products Tests UL 723 Surface Burning Characteristics of Building Materials (ASTM E84 or NFPA 255 test method) UL 1286 Standard for Safety of Office Furnishings Flame Spread Index (FSI) less than 200 Smoke Developed Index (SDI) less than 450 (unless labeled "Smoke Developed Index Over 450") C2C (varies by specific element), BIFMA (a non-profit institutional furniture association) Install via mechanical means as instructed	
INSTALLATION	LOCATION OF MANUF. PLANT TESTS/CODES 3RD PARTY CERTIFICATION INSTALLATION PROCEDURE INSTALLATION ADHESIVES UNIT COST LIFE CYCLE ANALYSIS	Steelcase goes to great lengths to reduce energy consumption and waste. Two facilities are ISO 14001 certified and one in Michigan is LEED certified under the pilot program. Many locations, the largest are in: Toronto, ON; Grand Rapids, MI; Athens, AL ANSI / BIFMA X 5.5 – 2008 Desk /Table Products Tests ANSI / BIFMA X5.9-2004 Storage Products Tests UL 723 Surface Burning Characteristics of Building Materials (ASTM E84 or NFPA 255 test method) UL 1286 Standard for Safety of Office Furnishings Flame Spread Index (FSI) less than 200 Smoke Developed Index (SDI) less than 450 (unless labeled "Smoke Developed Index Over 450") C2C (varies by specific element), BIFMA (a non-profit institutional furniture association) Install via mechanical means as instructed	
INSTALLATION	LOCATION OF MANUF. PLANT TESTS/CODES 3RD PARTY CERTIFICATION INSTALLATION PROCEDURE INSTALLATION ADHESIVES UNIT COST LIFE CYCLE ANALYSIS EXTRACTION	Steelcase goes to great lengths to reduce energy consumption and waste. Two facilities are ISO 14001 certified and one in Michigan is LEED certified under the pilot program. Many locations, the largest are in: Toronto, ON; Grand Rapids, MI; Athens, AL ANSI / BIFMA X 5.5 – 2008 Desk /Table Products Tests ANSI / BIFMA X5.9-2004 Storage Products Tests UL 723 Surface Burning Characteristics of Building Materials (ASTM E84 or NFPA 255 test method) UL 1286 Standard for Safety of Office Furnishings Flame Spread Index (FSI) less than 200 Smoke Developed Index (SDI) less than 450 (unless labeled "Smoke Developed Index Over 450") C2C (varies by specific element), BIFMA (a non-profit institutional furniture association) Install via mechanical means as instructed N/A Varies	
INSTALLATION	LOCATION OF MANUF. PLANT TESTS/CODES 3RD PARTY CERTIFICATION INSTALLATION PROCEDURE INSTALLATION ADHESIVES UNIT COST LIFE CYCLE ANALYSIS	Steelcase goes to great lengths to reduce energy consumption and waste. Two facilities are ISO 14001 certified and one in Michigan is LEED certified under the pilot program. Many locations, the largest are in: Toronto, ON; Grand Rapids, MI; Athens, AL ANSI / BIFMA X 5.5 – 2008 Desk /Table Products Tests ANSI / BIFMA X5.9-2004 Storage Products Tests UL 723 Surface Burning Characteristics of Building Materials (ASTM E84 or NFPA 255 test method) UL 1286 Standard for Safety of Office Furnishings Flame Spread Index (FSI) less than 200 Smoke Developed Index (SDI) less than 450 (unless labeled "Smoke Developed Index Over 450") C2C (varies by specific element), BIFMA (a non-profit institutional furniture association) Install via mechanical means as instructed N/A Varies	
	LOCATION OF MANUF. PLANT TESTS/CODES 3RD PARTY CERTIFICATION INSTALLATION PROCEDURE INSTALLATION ADHESIVES UNIT COST LIFE CYCLE ANALYSIS EXTRACTION END OF SERVICE LIFE	Steelcase goes to great lengths to reduce energy consumption and waste. Two facilities are ISO 14001 certified and one in Michigan is LEED certified under the pilot program. Many locations, the largest are in: Toronto, ON; Grand Rapids, MI; Athens, AL ANSI / BIFMA X 5.5 – 2008 Desk /Table Products Tests ANSI / BIFMA X 5.9-2004 Storage Products Tests UL 723 Surface Burning Characteristics of Building Materials (ASTM E84 or NFPA 255 test method) UL 1286 Standard for Safety of Office Furnishings Flame Spread Index (FSI) less than 200 Smoke Developed Index (SDI) less than 450 (unless labeled "Smoke Developed Index Over 450") C2C (varies by specific element), BIFMA (a non-profit institutional furniture association) Install via mechanical means as instructed N/A Varies Steelcase has several end-of-life reclamation programs in place to resell, refurbish, donate, or recycle products.	
INSTALLATION MISC. PROPERTIES	LOCATION OF MANUF. PLANT TESTS/CODES 3RD PARTY CERTIFICATION INSTALLATION PROCEDURE INSTALLATION ADHESIVES UNIT COST LIFE CYCLE ANALYSIS EXTRACTION END OF SERVICE LIFE QUALITIES/PROPERTIES OF	Steelcase goes to great lengths to reduce energy consumption and waste. Two facilities are ISO 14001 certified and one in Michigan is LEED certified under the pilot program. Many locations, the largest are in: Toronto, ON; Grand Rapids, MI; Athens, AL ANSI / BIFMA X 5.5 – 2008 Desk /Table Products Tests ANSI / BIFMA X5.9-2004 Storage Products Tests UL 723 Surface Burning Characteristics of Building Materials (ASTM E84 or NFPA 255 test method) UL 1286 Standard for Safety of Office Furnishings Flame Spread Index (FSI) less than 200 Smoke Developed Index (SDI) less than 450 (unless labeled "Smoke Developed Index Over 450") C2C (varies by specific element), BIFMA (a non-profit institutional furniture association) Install via mechanical means as instructed N/A Varies	
	LOCATION OF MANUF. PLANT TESTS/CODES 3RD PARTY CERTIFICATION INSTALLATION PROCEDURE INSTALLATION ADHESIVES UNIT COST LIFE CYCLE ANALYSIS EXTRACTION END OF SERVICE LIFE	Steelcase goes to great lengths to reduce energy consumption and waste. Two facilities are ISO 14001 certified and one in Michigan is LEED certified under the pilot program. Many locations, the largest are in: Toronto, ON; Grand Rapids, MI; Athens, AL ANSI / BIFMA X 5.5 – 2008 Desk /Table Products Tests ANSI / BIFMA X 5.9-2004 Storage Products Tests UL 723 Surface Burning Characteristics of Building Materials (ASTM E84 or NFPA 255 test method) UL 1286 Standard for Safety of Office Furnishings Flame Spread Index (FSI) less than 200 Smoke Developed Index (SDI) less than 450 (unless labeled "Smoke Developed Index Over 450") C2C (varies by specific element), BIFMA (a non-profit institutional furniture association) Install via mechanical means as instructed N/A Varies Steelcase has several end-of-life reclamation programs in place to resell, refurbish, donate, or recycle products. Durable, modular, adaptive	
	LOCATION OF MANUF. PLANT TESTS/CODES 3RD PARTY CERTIFICATION INSTALLATION PROCEDURE INSTALLATION ADHESIVES UNIT COST LIFE CYCLE ANALYSIS EXTRACTION END OF SERVICE LIFE QUALITIES/PROPERTIES OF PRODUCT	Steelcase goes to great lengths to reduce energy consumption and waste. Two facilities are ISO 14001 certified and one in Michigan is LEED certified under the pilot program. Many locations, the largest are in: Toronto, ON; Grand Rapids, MI; Athens, AL ANSI / BIFMA X 5.5 – 2008 Desk /Table Products Tests ANSI / BIFMA X5.9-2004 Storage Products Tests UL 723 Surface Burning Characteristics of Building Materials (ASTM E84 or NFPA 255 test method) UL 1286 Standard for Safety of Office Furnishings Flame Spread Index (FSI) less than 200 Smoke Developed Index (SDI) less than 450 (unless labeled "Smoke Developed Index Over 450") C2C (varies by specific element), BIFMA (a non-profit institutional furniture association) Install via mechanical means as instructed N/A Varies Steelcase has several end-of-life reclamation programs in place to resell, refurbish, donate, or recycle products. Durable, modular, adaptive	
MISC. PROPERTIES	LOCATION OF MANUF. PLANT TESTS/CODES 3RD PARTY CERTIFICATION INSTALLATION PROCEDURE INSTALLATION ADHESIVES UNIT COST LIFE CYCLE ANALYSIS EXTRACTION END OF SERVICE LIFE QUALITIES/PROPERTIES OF PRODUCT MISC. COMMENTS CONTRIBUTION TO LEED POINTS	Steelcase goes to great lengths to reduce energy consumption and waste. Two facilities are ISO 14001 certified and one in Michigan is LEED certified under the pilot program. Many locations, the largest are in: Toronto, ON; Grand Rapids, MI; Athens, AL ANSI / BIFMA X 5.5 – 2008 Desk /Table Products Tests ANSI / BIFMA X 5.9-2004 Storage Products Tests UL 723 Surface Burning Characteristics of Building Materials (ASTM E84 or NFPA 255 test method) UL 1286 Standard for Safety of Office Furnishings Flame Spread Index (FSI) less than 200 Smoke Developed Index (SDI) less than 450 (unless labeled "Smoke Developed Index Over 450") C2C (varies by specific element), BIFMA (a non-profit institutional furniture association) Install via mechanical means as instructed N/A Varies Steelcase has several end-of-life reclamation programs in place to resell, refurbish, donate, or recycle products. Durable, modular, adaptive Packaging is returnable/recyclable EA 1.1, 1.2, MR 2, 3.2, 4, 5, 6, 7, EQ 4.4, 4.5, 6.1, 8.1, 8.2, ID 1, 2	
	LOCATION OF MANUF. PLANT TESTS/CODES 3RD PARTY CERTIFICATION INSTALLATION PROCEDURE INSTALLATION ADHESIVES UNIT COST LIFE CYCLE ANALYSIS EXTRACTION END OF SERVICE LIFE QUALITIES/PROPERTIES OF PRODUCT MISC. COMMENTS	Steelcase goes to great lengths to reduce energy consumption and waste. Two facilities are ISO 14001 certified and one in Michigan is LEED certified under the pilot program. Many locations, the largest are in: Toronto, ON; Grand Rapids, MI; Athens, AL ANSI / BIFMA X 5.5 – 2008 Desk /Table Products Tests ANSI / BIFMA X5.9-2004 Storage Products Tests UL 723 Surface Burning Characteristics of Building Materials (ASTM E84 or NFPA 255 test method) UL 1286 Standard for Safety of Office Furnishings Flame Spread Index (FSI) less than 200 Smoke Developed Index (SDI) less than 450 (unless labeled "Smoke Developed Index Over 450") C2C (varies by specific element), BIFMA (a non-profit institutional furniture association) Install via mechanical means as instructed N/A Varies Steelcase has several end-of-life reclamation programs in place to resell, refurbish, donate, or recycle products. Durable, modular, adaptive	
MISC. PROPERTIES	LOCATION OF MANUF. PLANT TESTS/CODES 3RD PARTY CERTIFICATION INSTALLATION PROCEDURE INSTALLATION ADHESIVES UNIT COST LIFE CYCLE ANALYSIS EXTRACTION END OF SERVICE LIFE QUALITIES/PROPERTIES OF PRODUCT MISC. COMMENTS CONTRIBUTION TO LEED POINTS	Steelcase goes to great lengths to reduce energy consumption and waste. Two facilities are ISO 14001 certified and one in Michigan is LEED certified under the pilot program. Many locations, the largest are in: Toronto, ON; Grand Rapids, MI; Athens, AL ANSI / BIFMA X 5.5 – 2008 Desk /Table Products Tests ANSI / BIFMA X5.9-2004 Storage Products Tests UL 723 Surface Burning Characteristics of Building Materials (ASTM E84 or NFPA 255 test method) UL 1286 Standard for Safety of Office Furnishings Flame Spread Index (FSI) less than 200 Smoke Developed Index (SDI) less than 450 (unless labeled "Smoke Developed Index Over 450") C2C (varies by specific element), BIFMA (a non-profit institutional furniture association) Install via mechanical means as instructed N/A Varies Steelcase has several end-of-life reclamation programs in place to resell, refurbish, donate, or recycle products. Durable, modular, adaptive Packaging is returnable/recyclable EA 1.1, 1.2, MR 2, 3.2, 4, 5, 6, 7, EQ 4.4, 4.5, 6.1, 8.1, 8.2, ID 1, 2 It's possible to find a business partner who cares about the planet. We are	
MISC. PROPERTIES	LOCATION OF MANUF. PLANT TESTS/CODES 3RD PARTY CERTIFICATION INSTALLATION PROCEDURE INSTALLATION ADHESIVES UNIT COST LIFE CYCLE ANALYSIS EXTRACTION END OF SERVICE LIFE QUALITIES/PROPERTIES OF PRODUCT MISC. COMMENTS CONTRIBUTION TO LEED POINTS	Steelcase goes to great lengths to reduce energy consumption and waste. Two facilities are ISO 14001 certified and one in Michigan is LEED certified under the pilot program. Many locations, the largest are in: Toronto, ON; Grand Rapids, MI; Athens, AL ANSI / BIFMA X 5.5 – 2008 Desk /Table Products Tests ANSI / BIFMA X5.9-2004 Storage Products Tests UL 723 Surface Burning Characteristics of Building Materials (ASTM E84 or NFPA 255 test method) UL 1286 Standard for Safety of Office Furnishings Flame Spread Index (FSI) less than 200 Smoke Developed Index Over 450") C2C (varies by specific element), BIFMA (a non-profit institutional furniture association) Install via mechanical means as instructed N/A Varies Steelcase has several end-of-life reclamation programs in place to resell, refurbish, donate, or recycle products. Durable, modular, adaptive Packaging is returnable/recyclable EA 1.1, 1.2, MR 2, 3.2, 4, 5, 6, 7, EQ 4.4, 4.5, 6.1, 8.1, 8.2, ID 1, 2 It's possible to find a business partner who cares about the planet. We are constantly seeking more effective ways to conserve resources, prevent pollution and nurture environmental consciousness in our people every day.	
MISC. PROPERTIES	LOCATION OF MANUF. PLANT TESTS/CODES 3RD PARTY CERTIFICATION INSTALLATION PROCEDURE INSTALLATION ADHESIVES UNIT COST LIFE CYCLE ANALYSIS EXTRACTION END OF SERVICE LIFE QUALITIES/PROPERTIES OF PRODUCT MISC. COMMENTS CONTRIBUTION TO LEED POINTS	Steelcase goes to great lengths to reduce energy consumption and waste. Two facilities are ISO 14001 certified and one in Michigan is LEED certified under the pilot program. Many locations, the largest are in: Toronto, ON; Grand Rapids, MI; Athens, AL ANSI / BIFMA X 5.5 – 2008 Desk /Table Products Tests ANSI / BIFMA X 5.9-2004 Storage Products Tests UL 723 Surface Burning Characteristics of Building Materials (ASTM E84 or NFPA 255 test method) UL 1286 Standard for Safety of Office Furnishings Flame Spread Index (FSI) less than 200 Smoke Developed Index (SDI) less than 450 (unless labeled "Smoke Developed Index Over 450") C2C (varies by specific element), BIFMA (a non-profit institutional furniture association) Install via mechanical means as instructed N/A Varies Steelcase has several end-of-life reclamation programs in place to resell, refurbish, donate, or recycle products. Durable, modular, adaptive Packaging is returnable/recyclable EA 1.1, 1.2, MR 2, 3.2, 4, 5, 6, 7, EQ 4.4, 4.5, 6.1, 8.1, 8.2, ID 1, 2 It's possible to find a business partner who cares about the planet. We are constantly seeking more effective ways to conserve resources, prevent pollution and nurture environmental consciousness in our people every	